

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/756,386	01/08/2001	Thomas D. Petite	081607-1021	6996
7590 01/02/2004			EXAMINER	
THOMAS, KAYDEN, HORSTEMEYER & RISLEY, LLP			BARNIE, REXFORD N	
STE 1750 100 GALLERI	A PARKWAY, NW		ART UNIT	PAPER NUMBER
	A 30339-5948		2643	
			DATE MAILED: 01/02/2004	17

Please find below and/or attached an Office communication concerning this application or proceeding.

# , Office Action Summary

Application No. 09/756,386

Applicant(s)

**THOMAS PETITE** 

Examiner

**REXFORD BARNIE** 

Art Unit 2643



	The MAILING DATE of this communication appears	s on the cover sheet with the correspondence address			
	for Reply				
THE N		T TO EXPIRE 3 MONTH(S) FROM  n no event, however, may a reply be timely filed after SIX (6) MONTHS from the			
<ul><li>If the p</li><li>If NO p</li><li>Failure</li><li>Any rep</li></ul>	g date of this communication. period for reply specified above is less than thirty (30) days, a reply within the period for reply is specified above, the maximum statutory period will apply a to reply within the set or extended period for reply will, by statute, cause the ply received by the Office later than three months after the mailing date of the patent term adjustment. See 37 CFR 1.704(b).	and will expire SIX (6) MONTHS from the mailing date of this communication. the application to become ABANDONED (35 U.S.C. § 133).			
Status					
1) 💢	Responsive to communication(s) filed on Oct 29, 2	2003			
2a) 💢	This action is <b>FINAL</b> . 2b) $\square$ This act	ction is non-final.			
3) 🗆	Since this application is in condition for allowance $\epsilon$ closed in accordance with the practice under $Ex$ part	except for formal matters, prosecution as to the merits is arte Quayle, 1935 C.D. 11; 453 O.G. 213.			
	tion of Claims	g			
4) 💢	Claim(s) 33, 35-50, 52-55, and 57-73	is/are pending in the application.			
4	a) Of the above, claim(s)	is/are withdrawn from consideration.			
			İ		
	Claim(s) 33, 35-50, 52-55, and 57-73		1		
	Claim(s)				
		are subject to restriction and/or election requirement.			
	tion Papers				
9) 🗆	The specification is objected to by the Examiner.				
10)	The drawing(s) filed on is/are	e a) $\square$ accepted or b) $\square$ objected to by the Examiner.			
	Applicant may not request that any objection to the d				
11)		is: a) $\square$ approved b) $\square$ disapproved by the Examine	er.		
	If approved, corrected drawings are required in reply t	to this Office action.			
12)	The oath or declaration is objected to by the Exami	niner.	İ		
Priority	under 35 U.S.C. §§ 119 and 120				
_	Acknowledgement is made of a claim for foreign pr	priority under 35 U.S.C. § 119(a)-(d) or (f).			
a) 🗀	☐ All b)☐ Some* c)☐ None of:				
•	1. Certified copies of the priority documents have been received.				
:	2. Certified copies of the priority documents have been received in Application No				
	<ol> <li>Copies of the certified copies of the priority do application from the International Burea see the attached detailed Office action for a list of the</li> </ol>				
		2010			
ı <del>-</del> ,,∟ a) [	7	al application has been received			
•		c priority under 35 U.S.C. §§ 120 and/ophiliary examiner			
Attachme					
1) Not	tice of References Cited (PTO-892)	4) Interview Summary (PTO-413) Paper No(s)			
2) Not	tice of Draftsperson's Patent Drawing Review (PTO-948)	5) Notice of Informal Patent Application (PTO-152)			
3) tmfc	ormation Disclosure Statement(s) (PTO-1449) Paper No(s).	6) Other:			

Art Unit: 2643

#### **DETAILED ACTION**

## **Double Patenting**

1. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321© may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

2. Claims 33, 35-50, 52-55 and 57-73 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-37 of U.S. Patent No. 6233327 in view of Karimullah (US Pat# 5,343,493).

Art Unit: 2643

The claims teaches all the claimed subject matter except that the independent claims fail to teach transmitting a destination telephone number or destination number for contact with a central station as part of the signal from the transmitter, which in the <u>Patent corresponds to claims 3, 19 and so forth.</u> Karimullah teaches a low power transmitter wherein the transmitter can transmit a signal made up of codeword wherein the codeword would include a destination identifier in (see col. 4 lines 42-65 and col. 8 lines 1-33)

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to be able to incorporate the teaching of Karimullah into that of the pending independent claims thus making it possible to contact a unique service provider based on a transmitted telephone number in times of distress and so forth.

## Claim Rejections - 35 U.S.C. § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 33, 36-41, 46-50, 53-55 and 58-73 rejected under 35 U.S.C. 103(a) as being obvious over Petite et al. (US Pat# 5,714,931) in view of Karimullah (US Pat# 5,343,493).

Regarding claims 33 and 55, Petite teaches a system for communicating information to a predetermined location, the system comprising a hand held transmitter configured to transmit a

Art Unit: 2643

wireless signal indicative of an information in (see col. 2 lines 7-9, col. 3 lines 25-38) in vicinity of a transceiver, a central location configured to receive the information and communicate over the telephone line in the PSTN reads on a remote station configured according to Petite to receive distress information via a transceiver remote to the low powered transmitted which in turns sends the information over a telephone line which inherently would have a line interface associated with a PSTN in (see col. 2 lines 17-34) and the transceiver according to Petite in (see col. 2) has decoding means, transmits and adds other detailed information to the received information from the lower power transmitter thus making it inherent that that transceiver has a processor. Petite teaches all the claimed limitation as set forth above except the signal transmitted from the low powered transmitter.

Karimullah teaches a personal assistance system and method for use with a cellular communication system wherein a low power transmitter (20) can transmit a codeword which includes a telephone number of a service request provider in (see col. 4 lines 42-65 and col. 8 lines 1-33, col. 9 lines 34-40).

Therefore, it would have been obvious to one ordinary skill in the art at the time the invention was made to incorporate the teaching of Karimullah into that of Petite thus making it possible to contact a service provider to request assistance such as the police when assaulted for immediate assistance.

Regarding claims 36, 58 and 69, The combination teaches a hand-held transmitter which transmits a relatively low power radio frequency signal in (see Karimullah or Petite) in reference to the transmitter.

Regarding claims 36-40 and 61-65, see the explanation as set forth regarding claims 1 in regard to being able to receive a unique transmission destination address as taught by Karimullah, location (see col. 1 lines 56-67, col. 3 line 66-col. 4 line 4 of Petite or col. 4 lines 50-64, col. 7 line 64-col. 8, col. 9 of Karimullah and so forth ). Also, factors including a transmitter identifier is taught by the combination.

Regarding claim 41, The combination teaches a central location with personnel to respond to a received distressed signal in (See Petite or Karimullah).

Regarding claims 46 and 72, see the explanation as set forth in the rejection of claim 33 because the claimed apparatus would perform the method claims.

Regarding claims 47-50 and 53-54, see the explanation as set forth regarding claims 36-40.

Regarding claims 59-60 and 70-71, The examiner takes official notice that transmitters which uses infrared or ultrasound signals are notoriously well known and would have been obvious to one of ordinary skill in the art to use any commercially available and functionally equivalent transmitters for the obvious reason of being able to send information signals to a transceiver for applications such as personal assistance.

Art Unit: 2643

Regarding claim 66, see the explanation as set forth regarding claim 33 in addition to the fact that the transceiver remote to the low power transmitter would include a receiver to receive and a transmitter interface to a telephone line for receiving information from the receiver portion and another portion to direct information over a telephone line, these feature would be inherent in Petite.

Regarding claims 67-68, The combination teaches a transceiver made of a circuit with programmable information and has a look-up table in (see col. 5 of Pettite).

Regarding claim 73, see the explanation as set forth in the rejection of claim 33 in addition to the fact that the transceiver taught by Pettite teaches the claimed subject matter in (see cols. 4-6 of Petite).

5. Claims 35, 42-45 and 52-57 are rejected under 35 U.S.C. 103(a) as being obvious over Petite et al. (US Pat# 5,714,931) in view of Karimullah (US Pat# 5,343,493) and further in view of Burnett (US Pat# 6,067,030).

Regarding claim 35, 42-43, 52 and 57, The combination fails to teach being able to contact a destination station using an address including an IP address transmitted by a communication device.

It's notoriously well known to use communication device such as telephones to communicate with destination parties over the internet using a unique IP address known as internet telephony.

Art Unit: 2643

The examiner thus has supplemented the combination with a secondary reference which teaches being able to contact a destination station by communicate information over the internet thus requiring an IP address to send information including including fields associated with alarms and so forth (see col. 3 lines 54-67, col. 7) for display..

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Burnett into that of the combination thus making it possible for a user to communicate over any commercially available network including wireless, wireline, intranet, internet using the destination address associated with such networks for the obvious reasons of being able to send a distress signal or a service request signal to a remote service provider for immediate assistance

Regarding claims 44-45, the examiner takes official notice that it's well to use error detection or correction fields, start/stop fields in addition to other information indicators by including them as bit fields in a transmitted data message for transmission over a packet switching network and would have been obvious to one of ordinary skill to include such knowledge for the obvious reason of being able to transmitted a packet information over the the internet to be received by a destination site.

6. Claims 33, 36-41, 46-50, 53-55, 58-66 and 69-73 are rejected under 35 U.S.C. 103(a) as being unpatentable over Argyroudis et al. (US Pat# 5,748,104) in view of Karimullah (US Pat# 5,343,493) or Turino (US Pat# 5,994,892) or Brown, Jr. et al. (US Pat# 5,761,083).

Art Unit: 2643

Regarding claim 33, Argyroudis teaches a system for communicating information to a predetermined location comprising an extremely low power transmitter configured to wirelessly transmit an extremely lower-power signal (column 5 lines 25-32), a transceiver located remote from but in close proximity to the transmitter, the transceiver comprising a line interface circuit configured to interface with a telephone line which is part of the PSTN, an inherent processor configured to receive the signal and communicate the signal information to a central location in (see fig. 1, col. 3 lines 12-14, lines 43-50, col. 5). Furthermore, the transceiver according to (see col. 5 line 63-col. 6 line 2) would be capable of displaying information. Argyroudis teaches all the claimed limitation except being able to receive as part of the wireless information transmitted, a destination location identifier such as a destination telephone number.

Karimullah teaches a personal assistance system and method for use with a cellular communication system wherein a low power transmitter (20) can transmit a codeword which includes a telephone number of a service request provider in (see col. 4 lines 42-65 and col. 8 lines 1-33, col. 9 lines 34-40). Furthermore, based on the destination number, a service provider can be contacted accordingly.

Turino teaches a utility communication system wherein a utility means can transmit information including a telephone number to initiate a call to a central monitoring station in (see col. 2 lines 56, col. 8 lines 16-23, and col. 24).

Art Unit: 2643

Brown teaches an energy management and home automation system in (see figs, col. 4, col. 6 lines 54-67) wherein sensors can transmit signals including a telephone number over a telephone line.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of either (Karimullah or Turino or Brown) into that of Argyroudis thus making it possible to contact a service provider for a service request or to inform the service provider about pertinent information by using the destination identifier including a telephone number.

Regarding claim 36, The combination including Argyroudis teaches a low power communication system.

Regarding claims 37-41, see the explanation as set forth regarding claim 33. The combination including Karimullah teaches a codeword including a location information, destination tele#, transceiver identification code and so forth in (see col. 4, col. 7 line 64-col. 8).

Regarding claim 46, see the explanation as set forth regarding claim 33 because the claimed apparatus would perform the method steps.

Regarding claims 47-50 and 53-54, see the explanation as set forth regarding claims 37-41.

Regarding claim 55, see the explanation as set forth regarding claim 33 because the means for transmitting simply reads on a transmitter as taught by Argyroudis, a transceiver is

Art Unit: 2643

taught which includes a receiver and a transmitter connected to a telephone interface for final transmission to a monitoring station.

Regarding claims 58 and 61-65, see the explanation as set forth regarding claim 33. The combination including Karimullah teaches a codeword including a location information, destination tele#, transceiver identification code and so forth in (see col. 4, col. 7 line 64-col. 8).

Regarding claim 66, see the explanation as set forth in the rejection of claim 33 in addition to the fact that the home base unit (HBU, 122 of Argyroudis) would include an inherent controller to function with the transceiver associated with the home base unit. Furthermore, according to (see col. 5 of Argyroudis), HBU could have display functions wherein information can be displayed.

Regarding claim 69, The combination teaches a low power signal in (see Argyroudis).

Regarding claims 59-60 and 70-71, The examiner takes official notice that transmitters which uses infrared or ultrasound signals are notoriously well known and would have been obvious to one of ordinary skill in the art to use any commercially available and functionally equivalent transmitters for the obvious reason of being able to send information signals to a transceiver for applications such as personal assistance.

Regarding claim 72, see the explanation as set forth regarding claim 33 because the claimed apparatus would perform the method steps.

Regarding claim 73, see the explanation as set forth in the rejection of the claimed subject of claim 33. Furthermore, Argyroudis teaches a transceiver which would have means for

Art Unit: 2643

receiving and a means for transmitting by definition of a transceiver and an inherent controller for controlling the Home base unit (122 of Argyroudis) based on its ability to display information and so forth.

7. Claims 35, 42-45 and 52-57 are rejected under 35 U.S.C. 103(a) as being unpatentable over Argyroudis et al. (US Pat# 5,748,104) in view of Karimullah (US Pat# 5,343,493) or Turino (US Pat# 5,994,892) or Brown, Jr. et al. (US Pat# 5,761,083) and further in view of Burnett (US Pat# 6,067,030).

Regarding claims 35, 42-45 and 52-57, The combination fails to teach being able to contact a destination station using an address including an IP address transmitted by a communication device.

It's notoriously well known to use communication device such as telephones to communicate with destination parties over the internet using a unique IP address known as internet telephony.

The examiner thus has supplemented the combination with a secondary reference which teaches being able to contact a destination station by communicate information over the internet thus requiring an IP address to send information including including fields associated with alarms and so forth (see col. 3 lines 54-67, col. 7) for display..

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Burnett into that of the combination thus making it possible for a user to communicate over any commercially available network including

Art Unit: 2643

wireless, wireline, intranet, internet using the destination address associated with such networks for the obvious reasons of being able to send a distress signal or a service request signal to a remote service provider for immediate assistance.

Regarding claims 44-45, the examiner takes official notice that it's well to use error detection or correction fields, start/stop fields in addition to other information indicators by including them as bit fields in a transmitted data message for transmission over a packet switching network and would have been obvious to one of ordinary skill to include such knowledge for the obvious reason of being able to transmitted a packet information over the the internet to be received by a destination site.

## Response to Arguments

8. Applicant's arguments filed on 09/756,386 have been fully considered but they are not persuasive.

The applicant argued that the double patenting rejection is improper and lacks a motivation.

The examiner disagrees because the explanation as set forth in the rejection of the claimed subject matter is believed proper and permissible. Furthermore, the claims are obvious in light of US Pat# 6,233,327) in view of Karimullah or for that matter solely over Petite (US Pat# 6,233,327) because a destination identifier would be required inorder to contact a destination station or terminal since a phone call is initiated according to independent claim 1 of Petite for

Art Unit: 2643

instance. Furthermore, in light of Karimullah, a service codeword as part of a transmitted is uniquely associated with a telephone number of a party to be contacted.

The applicant argued basically the combination as set forth in the rejection of the claimed subject fails to teach an electromagnetic signal including an encoded message, a telephone number as part of a signal to be transmitted and the fact that the transmitted signal is to be a low power signal.

The examiner disagrees with the applicant because the explanation as set forth in the rejection of the claimed subject matter was based on a combination of reference namely; Petite and Karimullah. In detail, Petite teaches all the claimed limitation including being able to transmit an electromagnetic signal, a transceiver identifier, a user identification code, an open architecture system and being able to dial a telephone number in conjunction with an activated button in order to contact a destination station and so forth in (see col. 4 lines 63-63, col. 5 lines 46-67). The examiner supplemented the teaching of petite with that of Karimullah which teaches the possibility of using a low powered signal as means of indicating distress information or information transmitted by a user to a central monitoring station. Furthermore, according to Karimullah, a service codeword unique and associated with a destination number can be transmitted as means of determining a destination station to which information including distress information is to be sent. Thus, Karimullah teaches teaches a telephone number identification code (service codeword) as part of encoded information along with other information in (see col. 8 of Karimullah). As acknowledge by the applicant, an activated service request button could

Art Unit: 2643

correspond to a telephone number such as 911. Both references cited are directed to a method of being able to transmit distress information or request help from a monitoring station. Thus, the explanation as set forth in the rejection of the claimed subject is believed proper and permissible.

In response to applicant's argument that the examiner's conclusion of obviousness is based upon improper hindsight reasoning, it must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure, such a reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971).

In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988)and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, both references cited are directed to a method of being able to transmit distress information or request help from a monitoring station by using a portable transmitter.

The applicant argued that the combination including Argyroudis and Karimullah fails to teach the claimed subject matter.

Art Unit: 2643

. . . .

Th examiner disagrees because it would be obvious in light of Argyroudis that a telephone number (destination identifier) would be needed inorder to specifically or uniquely contact a destination party over a telephone network in (see fig. 1). According to Argyroudis, fault status information can be transmitted to the central monitoring station. Karimullah teaches transmitting information including a destination identifier code used in establishing communication with a destination station. Thus, the combination is believed proper and permissible.

## Response to Arguments

- 9. Applicant's arguments with respect to claims 33, 35-50, 52-55 and 57-73 have been considered but are moot in view of the new ground(s) of rejection.
- 10. Applicant's arguments filed on 05/23/2003 have been fully considered but they are not persuasive.

The applicant argued that the combination as set forth in the rejection of the claimed subject matter namely; Argyroudis and Karimullah fails to render the claimed subject matter.

The examiner strongly disagrees because Argyroudis teaches all except being able to receive a telephone number which according to Karimullah can be transmitted as part of a codeword thus the examiner believes the explanation as set forth is proper and permissible for the reasons set forth in the rejection.

Art Unit: 2643

. . . .

#### Conclusion

11.6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

12. Any inquiry concerning this communication or earlier communication from the examiner should be directed to REXFORD BARNIE whose telephone number is (703) 306-2744. The examiner can normally be reached on Monday through Friday from 8:30 to 6:OOp:m. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Curtis Kuntz, can be reached on (703) 305-4708.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to (703) 872-9314 and labeled accordingly (Please label "PROPOSED/INFORMAL" or "FORMAL").

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington, VA., Sixth Floor (Receptionist).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the group receptionist whose telephone number is (703) 306-0377.

Rexford Barnie Patent Examiner RB 12/22/03

Art Unit: 2643

#### **DETAILED ACTION**

## **Double Patenting**

1. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321© may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

2. Claims 33, 35-50, 52-55 and 57-73 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-37 of U.S. Patent No. 6233327 in view of Karimullah (US Pat# 5,343,493).

Art Unit: 2643

The claims teaches all the claimed subject matter except that the independent claims fail to teach transmitting a destination telephone number or destination number for contact with a central station as part of the signal from the transmitter, which in the <u>Patent corresponds to claims 3, 19 and so forth.</u> Karimullah teaches a low power transmitter wherein the transmitter can transmit a signal made up of codeword wherein the codeword would include a destination identifier in (see col. 4 lines 42-65 and col. 8 lines 1-33)

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to be able to incorporate the teaching of Karimullah into that of the pending independent claims thus making it possible to contact a unique service provider based on a transmitted telephone number in times of distress and so forth.

## Claim Rejections - 35 U.S.C. § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 33, 36-41, 46-50, 53-55 and 58-73 rejected under 35 U.S.C. 103(a) as being obvious over Petite et al. (US Pat# 5,714,931) in view of Karimullah (US Pat# 5,343,493).

Regarding claims 33 and 55, Petite teaches a system for communicating information to a predetermined location, the system comprising a hand held transmitter configured to transmit a

Art Unit: 2643

wireless signal indicative of an information in (see col. 2 lines 7-9, col. 3 lines 25-38) in vicinity of a transceiver, a central location configured to receive the information and communicate over the telephone line in the PSTN reads on a remote station configured according to Petite to receive distress information via a transceiver remote to the low powered transmitted which in turns sends the information over a telephone line which inherently would have a line interface associated with a PSTN in (see col. 2 lines 17-34) and the transceiver according to Petite in (see col. 2) has decoding means, transmits and adds other detailed information to the received information from the lower power transmitter thus making it inherent that that transceiver has a processor. Petite teaches all the claimed limitation as set forth above except the signal transmitted from the low powered transmitter.

Karimullah teaches a personal assistance system and method for use with a cellular communication system wherein a low power transmitter (20) can transmit a codeword which includes a telephone number of a service request provider in (see col. 4 lines 42-65 and col. 8 lines 1-33, col. 9 lines 34-40).

Therefore, it would have been obvious to one ordinary skill in the art at the time the invention was made to incorporate the teaching of Karimullah into that of Petite thus making it possible to contact a service provider to request assistance such as the police when assaulted for immediate assistance.

Art Unit: 2643

Regarding claims 36, 58 and 69, The combination teaches a hand-held transmitter which transmits a relatively low power radio frequency signal in (see Karimullah or Petite) in reference to the transmitter.

Regarding claims 36-40 and 61-65, see the explanation as set forth regarding claims 1 in regard to being able to receive a unique transmission destination address as taught by Karimullah, location (see col. 1 lines 56-67, col. 3 line 66-col. 4 line 4 of Petite or col. 4 lines 50-64, col. 7 line 64-col. 8, col. 9 of Karimullah and so forth ). Also, factors including a transmitter identifier is taught by the combination.

Regarding claim 41, The combination teaches a central location with personnel to respond to a received distressed signal in (See Petite or Karimullah).

Regarding claims 46 and 72, see the explanation as set forth in the rejection of claim 33 because the claimed apparatus would perform the method claims.

Regarding claims 47-50 and 53-54, see the explanation as set forth regarding claims 36-40.

Regarding claims 59-60 and 70-71, The examiner takes official notice that transmitters which uses infrared or ultrasound signals are notoriously well known and would have been obvious to one of ordinary skill in the art to use any commercially available and functionally equivalent transmitters for the obvious reason of being able to send information signals to a transceiver for applications such as personal assistance.

Art Unit: 2643

Regarding claim 66, see the explanation as set forth regarding claim 33 in addition to the fact that the transceiver remote to the low power transmitter would include a receiver to receive and a transmitter interface to a telephone line for receiving information from the receiver portion and another portion to direct information over a telephone line, these feature would be inherent in Petite.

Regarding claims 67-68, The combination teaches a transceiver made of a circuit with programmable information and has a look-up table in (see col. 5 of Pettite).

Regarding claim 73, see the explanation as set forth in the rejection of claim 33 in addition to the fact that the transceiver taught by Pettite teaches the claimed subject matter in (see cols. 4-6 of Petite).

5. Claims 35, 42-45 and 52-57 are rejected under 35 U.S.C. 103(a) as being obvious over Petite et al. (US Pat# 5,714,931) in view of Karimullah (US Pat# 5,343,493) and further in view of Burnett (US Pat# 6,067,030).

Regarding claim 35, 42-43, 52 and 57, The combination fails to teach being able to contact a destination station using an address including an IP address transmitted by a communication device.

It's notoriously well known to use communication device such as telephones to communicate with destination parties over the internet using a unique IP address known as internet telephony.

Art Unit: 2643

The examiner thus has supplemented the combination with a secondary reference which teaches being able to contact a destination station by communicate information over the internet thus requiring an IP address to send information including including fields associated with alarms and so forth (see col. 3 lines 54-67, col. 7) for display..

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Burnett into that of the combination thus making it possible for a user to communicate over any commercially available network including wireless, wireline, intranet, internet using the destination address associated with such networks for the obvious reasons of being able to send a distress signal or a service request signal to a remote service provider for immediate assistance

Regarding claims 44-45, the examiner takes official notice that it's well to use error detection or correction fields, start/stop fields in addition to other information indicators by including them as bit fields in a transmitted data message for transmission over a packet switching network and would have been obvious to one of ordinary skill to include such knowledge for the obvious reason of being able to transmitted a packet information over the the internet to be received by a destination site.

6. Claims 33, 36-41, 46-50, 53-55, 58-66 and 69-73 are rejected under 35 U.S.C. 103(a) as being unpatentable over Argyroudis et al. (US Pat# 5,748,104) in view of Karimullah (US Pat# 5,343,493) or Turino (US Pat# 5,994,892) or Brown, Jr. et al. (US Pat# 5,761,083).

Art Unit: 2643

Regarding claim 33, Argyroudis teaches a system for communicating information to a predetermined location comprising an extremely low power transmitter configured to wirelessly transmit an extremely lower-power signal (column 5 lines 25-32), a transceiver located remote from but in close proximity to the transmitter, the transceiver comprising a line interface circuit configured to interface with a telephone line which is part of the PSTN, an inherent processor configured to receive the signal and communicate the signal information to a central location in (see fig. 1, col. 3 lines 12-14, lines 43-50, col. 5). Furthermore, the transceiver according to (see col. 5 line 63-col. 6 line 2) would be capable of displaying information. Argyroudis teaches all the claimed limitation except being able to receive as part of the wireless information transmitted, a destination location identifier such as a destination telephone number.

Karimullah teaches a personal assistance system and method for use with a cellular communication system wherein a low power transmitter (20) can transmit a codeword which includes a telephone number of a service request provider in (see col. 4 lines 42-65 and col. 8 lines 1-33, col. 9 lines 34-40). Furthermore, based on the destination number, a service provider can be contacted accordingly.

Turino teaches a utility communication system wherein a utility means can transmit information including a telephone number to initiate a call to a central monitoring station in (see col. 2 lines 56, col. 8 lines 16-23, and col. 24).

Art Unit: 2643

Brown teaches an energy management and home automation system in (see figs, col. 4, col. 6 lines 54-67) wherein sensors can transmit signals including a telephone number over a telephone line.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of either (Karimullah or Turino or Brown) into that of Argyroudis thus making it possible to contact a service provider for a service request or to inform the service provider about pertinent information by using the destination identifier including a telephone number.

Regarding claim 36, The combination including Argyroudis teaches a low power communication system.

Regarding claims 37-41, see the explanation as set forth regarding claim 33. The combination including Karimullah teaches a codeword including a location information, destination tele#, transceiver identification code and so forth in (see col. 4, col. 7 line 64-col. 8).

Regarding claim 46, see the explanation as set forth regarding claim 33 because the claimed apparatus would perform the method steps.

Regarding claims 47-50 and 53-54, see the explanation as set forth regarding claims 37-41.

Regarding claim 55, see the explanation as set forth regarding claim 33 because the means for transmitting simply reads on a transmitter as taught by Argyroudis, a transceiver is

Art Unit: 2643

taught which includes a receiver and a transmitter connected to a telephone interface for final transmission to a monitoring station.

Regarding claims 58 and 61-65, see the explanation as set forth regarding claim 33. The combination including Karimullah teaches a codeword including a location information, destination tele#, transceiver identification code and so forth in (see col. 4, col. 7 line 64-col. 8).

Regarding claim 66, see the explanation as set forth in the rejection of claim 33 in addition to the fact that the home base unit (HBU, 122 of Argyroudis) would include an inherent controller to function with the transceiver associated with the home base unit. Furthermore, according to (see col. 5 of Argyroudis), HBU could have display functions wherein information can be displayed.

Regarding claim 69, The combination teaches a low power signal in (see Argyroudis).

Regarding claims 59-60 and 70-71, The examiner takes official notice that transmitters which uses infrared or ultrasound signals are notoriously well known and would have been obvious to one of ordinary skill in the art to use any commercially available and functionally equivalent transmitters for the obvious reason of being able to send information signals to a transceiver for applications such as personal assistance.

Regarding claim 72, see the explanation as set forth regarding claim 33 because the claimed apparatus would perform the method steps.

Regarding claim 73, see the explanation as set forth in the rejection of the claimed subject of claim 33. Furthermore, Argyroudis teaches a transceiver which would have means for

Art Unit: 2643

receiving and a means for transmitting by definition of a transceiver and an inherent controller for controlling the Home base unit (122 of Argyroudis) based on its ability to display information and so forth.

7. Claims 35, 42-45 and 52-57 are rejected under 35 U.S.C. 103(a) as being unpatentable over Argyroudis et al. (US Pat# 5,748,104) in view of Karimullah (US Pat# 5,343,493) or Turino (US Pat# 5,994,892) or Brown, Jr. et al. (US Pat# 5,761,083) and further in view of Burnett (US Pat# 6,067,030).

Regarding claims 35, 42-45 and 52-57, The combination fails to teach being able to contact a destination station using an address including an IP address transmitted by a communication device.

It's notoriously well known to use communication device such as telephones to communicate with destination parties over the internet using a unique IP address known as internet telephony.

The examiner thus has supplemented the combination with a secondary reference which teaches being able to contact a destination station by communicate information over the internet thus requiring an IP address to send information including including fields associated with alarms and so forth (see col. 3 lines 54-67, col. 7) for display..

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Burnett into that of the combination thus making it possible for a user to communicate over any commercially available network including

Art Unit: 2643

wireless, wireline, intranet, internet using the destination address associated with such networks for the obvious reasons of being able to send a distress signal or a service request signal to a remote service provider for immediate assistance.

Regarding claims 44-45, the examiner takes official notice that it's well to use error detection or correction fields, start/stop fields in addition to other information indicators by including them as bit fields in a transmitted data message for transmission over a packet switching network and would have been obvious to one of ordinary skill to include such knowledge for the obvious reason of being able to transmitted a packet information over the the internet to be received by a destination site.

## Response to Arguments

8. Applicant's arguments filed on 09/756,386 have been fully considered but they are not persuasive.

The applicant argued that the double patenting rejection is improper and lacks a motivation.

The examiner disagrees because the explanation as set forth in the rejection of the claimed subject matter is believed proper and permissible. Furthermore, the claims are obvious in light of US Pat# 6,233,327) in view of Karimullah or for that matter solely over Petite (US Pat# 6,233,327) because a destination identifier would be required inorder to contact a destination station or terminal since a phone call is initiated according to independent claim 1 of Petite for

Art Unit: 2643

instance. Furthermore, in light of Karimullah, a service codeword as part of a transmitted is uniquely associated with a telephone number of a party to be contacted.

The applicant argued basically the combination as set forth in the rejection of the claimed subject fails to teach an electromagnetic signal including an encoded message, a telephone number as part of a signal to be transmitted and the fact that the transmitted signal is to be a low power signal.

The examiner disagrees with the applicant because the explanation as set forth in the rejection of the claimed subject matter was based on a combination of reference namely; Petite and Karimullah. In detail, Petite teaches all the claimed limitation including being able to transmit an electromagnetic signal, a transceiver identifier, a user identification code, an open architecture system and being able to dial a telephone number in conjunction with an activated button in order to contact a destination station and so forth in (see col. 4 lines 63-63, col. 5 lines 46-67). The examiner supplemented the teaching of petite with that of Karimullah which teaches the possibility of using a low powered signal as means of indicating distress information or information transmitted by a user to a central monitoring station. Furthermore, according to Karimullah, a service codeword unique and associated with a destination number can be transmitted as means of determining a destination station to which information including distress information is to be sent. Thus, Karimullah teaches teaches a telephone number identification code (service codeword) as part of encoded information along with other information in (see col. 8 of Karimullah). As acknowledge by the applicant, an activated service request button could

Art Unit: 2643

correspond to a telephone number such as 911. Both references cited are directed to a method of being able to transmit distress information or request help from a monitoring station. Thus, the explanation as set forth in the rejection of the claimed subject is believed proper and permissible.

In response to applicant's argument that the examiner's conclusion of obviousness is based upon improper hindsight reasoning, it must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure, such a reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971).

In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988)and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, both references cited are directed to a method of being able to transmit distress information or request help from a monitoring station by using a portable transmitter.

The applicant argued that the combination including Argyroudis and Karimullah fails to teach the claimed subject matter.

Art Unit: 2643

Th examiner disagrees because it would be obvious in light of Argyroudis that a telephone number (destination identifier) would be needed inorder to specifically or uniquely contact a destination party over a telephone network in (see fig. 1). According to Argyroudis, fault status information can be transmitted to the central monitoring station. Karimullah teaches transmitting information including a destination identifier code used in establishing communication with a destination station. Thus, the combination is believed proper and permissible.

#### Conclusion

9.. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

10. Any inquiry concerning this communication or earlier communication from the examiner should be directed to REXFORD BARNIE whose telephone number is (703) 306-2744. The examiner can normally be reached on Monday through Friday from 8:30 to 6:OOp:m. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Curtis Kuntz, can be reached on (703) 305-4708.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to (703) 872-9314 and labeled accordingly (Please label "PROPOSED/INFORMAL" or "FORMAL").

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington, VA., Sixth Floor (Receptionist).

Art Unit: 2643

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the group receptionist whose telephone number is (703) 306-0377.

Rexford Barnie Patent Examiner RB 12/22/03

REXFORD BARNIE PRIMARY EXAMINER